

S Encapsulated mRNA Vaccine

mRNA encoding for the Spike protein is protected in a lipid nanoparticles (like soap bubbles). Once absorbed, the cell expresses the Spike protein resulting in an immune response.

Φ Efficacy: Phase III 94.1% (US/UK strain)



--- */• (B1.351 "SA" strain)

Dosing: 0.5mL - 2 doses - 28 days apart

Storage : -20°C - 6 months +2-8°C - 30 daγs

BNT162b2 \$\$ BioNTech/Pfizer



S Encapsulated mRNA Vaccine

mRNA encoding for the Spike protein is protected in a lipid nanoparticles (like soap bubbles). Once absorbed, the cell expresses the Spike protein resulting in an immune response.

Efficacy : Phase III 95% (US/UK strain)



Dosing: 0.3mL - 2 doses - 21 days apart

E Storage: -70°C - 6 months +2-8°C - 5 daγs

ChAdOx1 / AZD1222 (Covidshield) \$ Oxford/Astrazeneca



🖈 Viral Vector Vaccine

dsDNA encoding for the Spike protein is protected in a safe virus. The infected cell expresses the Spike protein which leads to an immune response.

Efficacy : Phase III 82% (US/UK strain)

(B1.351 "SA" strain)

Dosing: 2 doses - 12 days apart

B Storage : +2-8°C

JNJ-78436735 / Ad26.COV2.S \$ Johnson&Johnson



Viral Vector Vaccine

dsDNA encoding for the Spike protein is protected in a safe virus. The infected cell expresses the Spike protein which leads to an immune response.

Efficacy : Phase II 72% (US/UK strain)

Phase III 57% (B1.351 "SA" strain)

Dosing: 1 dose

Storage: +2-8°C for 3 months -20°C for 2 γears



😥 Inactivated Virus Vaccine

SARS-CoV2 is chemically inactivated (with a chemical called beta-propiolactone.) so it cannot replicate but all the proteins remain intact.

Efficacy : Phase III 79% US/UK strain)

---'. (B1.351 "SA" strain)

Dosing: 2 doses - 3 weeks apart

B Storage : +2-8°C

NVX-CoV2373 Novavax





🔅 Virus-like Particle Vaccine

Nanoparticles are coated with synthetic spike proteins. An additional element called adjuvant is added which allows to boost the immune reaction.

Φ Efficacy: Phase III 89% (US/UK strain)

Phase III 49% (B1.351 "SA" strain)

Dosing: 2 doses - 21 daγs apart Storage: +2-8°C for 3 months -20°C for 2 years



Viral Vector Vaccine

dsDNA encoding for the Spike protein is protected in a safe virus. The infected cell expresses the Spike protein which leads to an immune response.

Efficacy : Phase III 91% (US/UK strain)



Dosing: 0.5mL - 2 doses - 28 days apart

Storage: +2-8°C for 3 months -20°C for 2 γears



😥 Inactivated Virus Vaccine

SARS-CoV2 is chemically inactivated (with a chemical called beta-propiolactone•) so it cannot replicate but all the proteins remain intact.

- Efficacy : Phase II 50% (US/UK strain)

--*/• (B1.351 "SA" strain)

Dosing: 2 doses - 3 weeks apart

B Storage : +2-8°C



😥 Inactivated Virus Vaccine

SARS-CoV2 is chemically inactivated (with a chemical called beta-propiolactone•) so it cannot replicate but all the proteins remain intact.

- Efficacy : --- '. (US/UK strain)

---'/• (B1.351 "SA" strain)

Dosing: 2 doses - 21 days apart

B Storage : +2-8°C